

104/204 In-Line Threaded Diaphragm Seal

FEATURES

- 316L stainless steel top housing (standard)
- Available with diaphragm welded or bonded to top housing or removable threaded capsule diaphragms
- Flow through design reduces the possibility of clogging; ideal for viscous media, slurries and emulsions
- Large 2½ diaphragm compatible with most Ashcroft instrumentation

TYPICAL USES

- Oil and gas
- Refineries
- Water and wastewater
- NACE Compliant processes (sour gas separation)
- Biogas and biodiesel

SPECIFICATIONS

Connection style: In-line threaded						
Process Connection:	1⁄4 to 1 NPT					
Instrument Connection:	1⁄4 or 1⁄2 NPT					
Fill Fluid:	See table 3 on page 2					
WETTED COMPONENTS						
Diaphragm	Bottom Housing	Gasket				
See table 1 on page 2	See table 2 on page 2	PTFE (rated for -150°F to 500°F)				
NON-WETTED COMPONENTS						
Top Housing	Bolt/Clamp Rings	Clamp Rings				
316L SS	Carbon steel	Carbon steel				





To Top Housing flexible design Diaphragm Welded or Bonded To Top Housing - eliminates leak path



KEY BENEFITS

- Protects instrumentation from corrosive media
- Dissipates elevated process temperatures
- Threaded connections for simple installation

All specifications are subject to change without notice. All sales subject to standard terms and conditions. ©2021 Ashcroft Inc. 104-204_seal_ds_RevB_06-21-21 ashcroft.com info@ashcroft.com 1.800.328.8258



104/204 In-Line Threaded Diaphragm Seal

TABLE 1 - DIAPHRAGM MATERIALS						
Material	Letter Code	100 Series	200 Series	Notes		
316L SS	S	•	•			
304L SS	С	•	•			
904L SS	F		•			
Monel [®] 400	Р	•	•	200-series must be ordered with XYM Monel® top housing option		
Tantalum	U	•	•			
Hastelloy® C-276	Н	•	•			
Hastelloy® B	G	•	•			
Hastelloy® C-22	J	•	•			
Carpenter 20®	D	•	•			
PTFE	Т		•	Temp limits: -40°F to 400°F		
Viton®	Y		•	Temp limits: -40°F to 350°F Max. pressure: 500 psi		
Kalrez®	К		•	Temp limits: 30°F to 212°F Max. pressure: 500 psi		
Nickel	Ν	•	•			
Titanium	Ti		•	Includes titanium top housing		
Gold Plated 316L SS	w	•				

TABLE 2 - BOTTOM HOUSING MATERIALS					
Material	Letter Code				
Steel	В				
304L SS	С				
316L SS	S				
Hastelloy [®] B	G				
Hastelloy [®] C-276	Н				
Carpenter 20®	D				
Monel [®] 400	М				
Top Housing and Mounting Hardware only	Х				

Viscosity Variation

TABLE 3 - FILL FLUIDS						
Fill Fluid	Te					

Fill Fluid	Temperature	(cSt at RT)	Code	Notes
Glycerin (food grade)	0°F to 400°F (-18°C to 204°C)	1,300	CG	Direct-mounting only. Not for use with vacuum service
50 cSt Silicone	-40°F to 500°F (-40°C to 260°C)	50	СК	
10 cSt Silicone	-40°F to 500°F (-40°C to 260°C)	10	DJ	
Halocarbon [®] 4.2	-70°F to 300°F (-57°C to 199°C)	4.2	CF	For use with oxygen/oxidizing process media
Slytherm [®] 800	-40°F to 750°F (-40°C to 400°C)	10	HA	High temperature applications
Syltherm [®] XLT	-150°F to 500°F (-100°C to 260°C)	1.4	CC	Low temperature applications
Calflo [®] AF	-20°F to 600°F (-29°C to 316°C)	60	KF	High temperature, silicone-free
Mineral Oil	10°F to 400°F (-12°C to 204°C)	75	MY	
Neobee® M-20 (food grade)	5°F to 400°F (-15°C to 204°C)	9.5	NM	
Silicone (food grade)	-40°F to 500°F (-40°C to 260°C)	350	CZ	
Distilled Water	40°F to 185°F (4°C to 85°C)	0.9	FJ	
50/50 Glycerin/Water	15°F to 200°F (-9°C to 93°C)	30	GH	
Propylene Glycol	-50°F to 325°F (-46°C to 163°C)	54	CV	
Ethylene Glycol	20°F to 325°F (-7°C to 163°C)	14	FK	
50/50 Ethylene Glycol/Water	-25°F to 190°F (-32°C to 88°C)	2.9	СТ	
80/20 Glycerin/Water	15°F to 225°F (-9°C to 107°C)	270	GR	
95/5 Water/Propylene Glycol	40°F to 185°F (4°C to 85°C)	1.0	PY	

All specifications are subject to change without notice. All sales subject to standard terms and conditions. ©2021 Ashcroft Inc. 104-204_seal_ds_RevB_06-21-21 ashcroft.com info@ashcroft.com 1.800.328.8258




104/204 In-Line Threaded Diaphragm Seal

ORDERING CODE	Example:	25	1	04	S	S	02T	ХСК	SE
Process Connection Size									
25 - ¼ NPT		25							
50 - ½ NPT									
75 - ¾ NPT									
10 - 1 NPT									
Diaphragm Type			-						
1 - 100-series: Capsule diaphragm th	readed into top housing		1						
2 - 200-series: Diaphragm welded (m	etallic) or bonded (elastomer	ric) to top housi	ng						
Lower Housing Type									
04 - In-line threaded lower housing (c	lual female NPT connections)		04					
Diaphragm Materials									
S-316L SS					S				
See Table 1 on page 2									
Bottom Housing Material									
S-316L SS						S			
See table 2 on page 2									
nstrument Connection Size									
02T - 1/4 NPT Female instrument conr	nection						02T		
04T - 1/2 NPT Female instrument conr	ection								
Options (if choosing option(s) mus	t include an "X")							X	
Fill Fluid (See Table 3 on page 2 for	more available fill fluids)								
CK - 50 cSt Silicone								CK	
Optional Features									
YM - Monel [®] 400 top housing (must b	e ordered with Monel® or tar	ntalum diaphrag	gm)						
SE - SS rings and bolts									SE
_D - SS locking device									
NH - SS tag									
DU - Instrument Welded to top housi	ng (instrument connection m	nust be like-ma	terial to top	o housing)					
MQ - Positive material identification									
MQ - Positive material identification 6B - Cleaned for oxygen service									
	(must be ordered as a separa	ate line item)							



DIMENSIONS in [] are millimeters

For reference only, consult Ashcroft for specific dimensional drawings



Process Connection	А	В	С
1/4 NPT	4 [102]	2.63 [67]	2.13 [54]
1⁄2 NPT	4 [102]	3.63 [92]	2.75 [70]
34 NPT	4 [102]	3.88 [98]	3 [76]
1 NPT	4 [102]	3.88 [98]	3 [76]

All specifications are subject to change without notice. All sales subject to standard terms and conditions. ©2021 Ashcroft Inc. 104-204_seal_ds_RevB_06-21-21 ashcroft.com info@ashcroft.com 1.800.328.8258