

# Honeywell

## **EU Declaration of Conformity**

In accordance with EN ISO / IEC 17050-1:2010

### FS24X, FS24X-9 and FS24X Plus

**Declaration Number**: 2004Y0062\_11

**Description:** Multi-specum QuadBand™ triple IR Fire and Flame Detector

Intended Use: Fire Detection in industrial applications and certified for use in potentially explosive

atmospheres

Manufacturer: Honeywell Analytics Inc. 405 Barclay Blvd. Lincolnshire, Illinois 60069. USA

Trading Company: Life Safety Distribution GmbH, Javastrasse 2, 8604 Hegnau, Switzerland

We hereby declare that the product identified above meets the requirements of the following EU Directives and therefore qualifies for free movement within markets comprising the European Union (EU) and the European Economic Area (EEA). This declaration is issued under the sole responsibility of the manufacturer.

#### ATEX Directive 2014/34/EU

**ATEX Hazardous** 

Notified Body: FM Approvals Europe Limited

Element 78, Ground Floor Block A, One Georges Quay Plaza, Dublin 2 D02

E440, Dublin, Ireland

Notified Body Number: 2809

EC Certificate Number: FM14ATEX0058X

Conforms to

EN IEC 60079-0:2018 Explosive atmospheres - Part 0: Equipment - General requirements
EN 60079-1:2014 Explosive atmospheres. Equipment protection by flameproof enclosures 'd'
EN 60079-31:2014 Explosive atmospheres. Equipment dust ignition protection by enclosure 't'

EN 60529:1991/A1:2000/A2:2013 Degrees of protection provided by enclosures (IP Code)

**Type Approval:**  $\langle \xi x \rangle$  II 2 G Ex db IIC T6....T4 Gb

II 2 D Ex th IIIC T135° C Db

**Production Quality Assurance** 

Notified Body: FM Approvals Europe Limited

Element 78, Ground Floor Block A, One Georges Quay Plaza, Dublin 2 D02

E440, Dublin, Ireland

Notified Body Number: 2809

EC Certificate Number: FM19ATEXQ0081

Conforms to:

ISO/IEC 80079-34:2018 Explosive atmospheres. Application of quality systems for equipment manufacture



#### **EMC Directive 2014/30/EU**

Conforms to:

EN 50130-4:2011 Alarm systems – Part 4: Electromagnetic compatibility – Product family standard:

Immunity requirements for components of fire, intruder, hold-up, CCTV, access

control and social alarm systems

EN 61000-6-4:2007/A1:2011 Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission

standard for industrial environments

#### RoHS Directive 2015/863/EU

Consideration given to:

EN IEC 63000:2018 Technical documentation for the assessment of electrical and electronic products

with respect to the restriction of hazardous substances

Exemptions taken as conditions of compliance to Directive 2011/65/EU:

| Annex | Number | Exemption   | Expiration date: |
|-------|--------|---|------------------|
| IV    | 1c.    | Lead, cadmium and mercury in infra-red light detectors. | None             |

#### **FS24X-9**

#### Construction Products Regulation (CPR) 305/2011

Notified Body: BRE Global Assurance (Ireland) Ltd

DCU Alpha, Old Finglas Road, Glasnevin, Dublin 11 D11 KXN4, Ireland

Notified Body Number: 2831

EC Certificate Number: 2831-CPR-F0516

Conforms to:

EN 54-10:2002/A1:2005 Fire detection and fire alarm systems – Part 10: Flame detectors – Point detectors

#### FS24X Plus

#### Construction Products Regulation (CPR) 305/2011

Notified Body: BRE Global Assurance (Ireland) Ltd

DCU Alpha, Old Finglas Road, Glasnevin, Dublin 11 D11 KXN4, Ireland

Notified Body Number: 2831

EC Certificate Number: 2831-CPR-F4713

Conforms to:

EN 54-10:2002/A1:2005 Fire detection and fire alarm systems – Part 10: Flame detectors – Point detectors

Signature: Daniel J. Montgomery

Name: Dan Montgomery Date: 29th September 2022

Site Quality Lead

For and on behalf of: Honeywell Analytics Inc. 405 Barclay Blvd. Lincolnshire, Illinois 60069 USA



# Honeywell

## **EU Declaration of Performance**

According to EU Construction Products Regulation No. 305/2011

#### **FS24X-9**

1. Unique Product Identification Code(s): Flame Detector FS24X-9

2. Type Number(s): FS24X-9

Description: Wide Band IR / UV Flame Detector

Intended Use:
 Manufacturer:
 Fire detection and fire alarm systems installed in and around buildings
 Honeywell Analytics Inc. 405 Barclay Bvld. Lincolnshire. IL 60069 USA.

5. System of Assessment: System 16. Notified Body: LPCB
Notified Body Number: 2831

EC Certificate Number(s): 2831-CPR-F0516

7. European Technical Assessment: TE285210

Reference:

8. Declared Performance:

| Clause | General Requirements  | Performance |  |
|--------|---|-------------|--|
| 4.1    | Compliance  | Pass        |  |
| 4.2    | Classification  | Class 1     |  |
| 4.3    | Individual Alarm Activation                                       | Pass        |  |
| 4.4    | Connection of Ancillary Devices                                   | Pass        |  |
| 4.5    | Monitoring of Detachable Detectors                                | Pass        |  |
| 4.6    | Manufacturer's Adjustments  | Pass        |  |
| 4.7    | On-site sensitivity adjustment                                    | Pass        |  |
| 4.8    | Data  | Pass        |  |
| 4.9    | Additional requirements for software controlled detectors         | Pass        |  |
|        | Tests   |             |  |
| 5.2    | Reproducibility   | Pass        |  |
| 5.3    | Repeatability   | Pass        |  |
| 5.4    | Directional Dependence  | Pass        |  |
| 5.5    | Flame Sensitivity   | Pass        |  |
| 5.6    | Dazzling  | Pass        |  |
| 5.7    | Dry Heat (operational)  | Pass        |  |
| 5.8    | Cold (operational)  | Pass        |  |
| 5.9    | Damp Heat, cyclic (operational)                                   | Pass        |  |
| 5.10   | Damp Heat, steady state (endurance)                               | Pass        |  |
| 5.11   | Sulphur dioxide (SO2) corrosion (endurance)                       | Pass        |  |
| 5.12   | Shock (operational)   | Pass        |  |
| 5.13   | Impact (operational)  | Pass        |  |
| 5.14   | Vibration, sinusoidal (operational)                               | Pass        |  |
| 5.15   | Vibration, sinusoidal (endurance)                                 | Pass        |  |
| 5.16   | Variation in supply parameters (operational)                      | Pass        |  |
| 5.17   | Electromagnetic compatibility (EMC), Immunity tests (operational) | Pass        |  |

<sup>9.</sup> The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration is issued under the sole responsibility of the manufacturer identified in point 4.

Signature: Danisl J. Montgor

Name: Dan Montgomery Date: 29<sup>th</sup> September 2022

**Site Quality Lead** 

For and on behalf of: Honeywell Analytics Inc. 405 Barclay Blvd. Lincolnshire, Illinois 60069 USA



## **EU Declaration of Performance**

According to EU Construction Products Regulation No. 305/2011

### FS24X Plus

1. Unique Product Identification Code(s): Flame Detector FS24X Plus

Type Number(s): FS24X Plus

Description: Wide Band IR / UV Flame Detector

Intended Use:
 Manufacturer:
 Fire detection and fire alarm systems installed in and around buildings
 Honeywell Analytics Inc. 405 Barclay Bvld. Lincolnshire. IL 60069 USA.

5. System of Assessment: System 16. Notified Body: LPCB
Notified Body Number: 2831

EC Certificate Number(s): 2831-CPR-F4713
European Technical Assessment: TE-P118158-1000

Reference:

7.

8. Declared Performance:

| EN 54-10 | EN 54-10: Fire Detection and Fire Alarm Systems – Flame Detectors. Point Detectors |             |  |  |  |
|----------|--|-------------|--|--|--|
| Clause   | General Requirements   | Performance |  |  |  |
| 4.1      | Compliance   | Pass        |  |  |  |
| 4.2      | Classification   | Class 1     |  |  |  |
| 4.3      | Individual Alarm Activation  | Pass        |  |  |  |
| 4.4      | Connection of Ancillary Devices  | Pass        |  |  |  |
| 4.5      | Monitoring of Detachable Detectors   | Pass        |  |  |  |
| 4.6      | Manufacturer's Adjustments   | Pass        |  |  |  |
| 4.7      | On-site sensitivity adjustment   | Pass        |  |  |  |
| 4.8      | Data   | Pass        |  |  |  |
| 4.9      | Additional requirements for software controlled detectors                          | Pass        |  |  |  |
|          | Tests  |             |  |  |  |
| 5.2      | Reproducibility  | Pass        |  |  |  |
| 5.3      | Repeatability  | Pass        |  |  |  |
| 5.4      | Directional Dependence   | Pass        |  |  |  |
| 5.5      | Flame Sensitivity  | Pass        |  |  |  |
| 5.6      | Dazzling   | Pass        |  |  |  |
| 5.7      | Dry Heat (operational)   | Pass        |  |  |  |
| 5.8      | Cold (operational)   | Pass        |  |  |  |
| 5.9      | Damp Heat, cyclic (operational)  | Pass        |  |  |  |
| 5.10     | Damp Heat, steady state (endurance)  | Pass        |  |  |  |
| 5.11     | Sulphur dioxide (SO2) corrosion (endurance)  | Pass        |  |  |  |
| 5.12     | Shock (operational)  | Pass        |  |  |  |
| 5.13     | Impact (operational)   | Pass        |  |  |  |
| 5.14     | Vibration, sinusoidal (operational)  | Pass        |  |  |  |
| 5.15     | Vibration, sinusoidal (endurance)  | Pass        |  |  |  |
| 5.16     | Variation in supply parameters (operational)                                       | Pass        |  |  |  |
| 5.17     | Electromagnetic compatibility (EMC), Immunity tests (operational)                  | Pass        |  |  |  |

<sup>9.</sup> The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8 This declaration is issued under the sole responsibility of the manufacturer identified in point 4

Signature:

Name: Dan Montgomery Date: 29th September 2022

**Site Quality Lead** 

For and on behalf of: Honeywell Analytics Inc. 405 Barclay Blvd. Lincolnshire, Illinois 60069 USA