

Methane 0.0001% to 3.0% in Air

1

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: Methane 0.0001% to 3.0% in Air
Synonyms: Methane in Air, Calibration Gas
Common Name: Methane in Air
SDS Number: NLB 2120
Revision Date: 1/12/2023
Version: 3
CAS Number: Not Available - Gas Mixture
EPA Number: Not Available
RCRA Number: Not Applicable
Chemical Family: Gas Mixture
Chemical Formula: CH₄ in Air
Product Use: Calibration of analytical instrumentation

Supplier Details: NorLab a division of Norco
898 W. Gowen Rd.
Boise, ID 83705

Contact: Quality Dept.
Phone: 208-336-1643
Fax: 208-433-6160
Internet: www.norlab-gas.com

For Transportation Emergency Contact CHEMTREC: 800-424-9300

2

HAZARDS IDENTIFICATION

Classification of Substance

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):
Physical, Gases Under Pressure, Compressed Gas

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:



GHS Hazard Statements:

H280 - Contains gas under pressure; may explode if heated
CGA-HG24 - SUPPORTS COMBUSTION.

GHS Precautionary Statements:

P202 - Do not handle until all safety precautions have been read and understood.
P260 - Do not breathe gas.
P403 - Store and use in a well ventilated place.
P309 - IF exposed or if you feel unwell:
P340 - Remove person to fresh air and keep comfortable for breathing.
CGA-PG02 - Protect from sunlight when ambient temperature exceeds 52 °C (125 °F).
CGA-PG06 - Close valve after each use and when empty.
CGA-PG10 - Use only with equipment rated for cylinder pressure.
CGA-PG11 - Never put cylinders into unventilated areas of passenger vehicles.
CGA-PG20 - Use only equipment of compatible materials of construction.
CGA-PG05 - Use a back flow preventive device in the piping.

Hazards not Otherwise Classified (HNOC) or not Covered by GHS

Route of Entry: Skin; Eyes; Inhalation;
Target Organs: Respiratory system;

Methane 0.0001% to 3.0% in Air

Inhalation:	Gas mixture contains sufficient oxygen to support life. Inhalation of high methane concentrations may cause central nervous system depression with dizziness, disorientation, in-coordination, nausea, and narcosis. High concentrations may also cause cardiac sensitization resulting in irregular heartbeat and may make the individual more susceptible to cardiac effects of substances such as epinephrine and adrenaline.
Skin Contact:	Contact with rapidly expanding gas near the point of release may cause frostbite with redness, skin color change to gray or white, and blistering.
Eye Contact:	Contact with rapidly expanding gas near the point of release may cause frostbite.
Ingestion:	Not anticipated. Product is a gas at normal conditions.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:			
CAS#	%	Chemical Name:	
74-82-8	0.0001-3.0%	Methane	
7782-44-7	20.9%	Oxygen	
7727-37-9	76.1-79.0999%	Nitrogen	

Air balance = 20.9% Oxygen in Nitrogen

4 FIRST AID MEASURES

Inhalation:	PROMPT MEDICAL ATTENTION IS MANDATORY IN ALL CASES OF OVEREXPOSURE TO PRODUCT. RESCUE PERSONNEL SHOULD BE EQUIPED WITH SELF-CONTAINED BREATHING APPARATUS. Conscious persons should be assisted to an uncontaminated area and inhale fresh air. Quick removal from the contaminated area is most important. Unconscious persons should be moved to an uncontaminated area, given assisted (artificial) respiration and supplemental oxygen. Further treatment should be symptomatic and supportive.
Skin Contact:	None required for gas. For frostbite, immerse skin in lukewarm water. DO NOT USE HOT WATER. Obtain medical attention.
Eye Contact:	None Required for gas. If frostbite is suspected, flush eyes with cool water for 15 minutes and obtain immediate medical attention.
Ingestion:	Not a direct hazard.

5 FIRE FIGHTING MEASURES

Flammability:	Not Flammable
Flash Point:	None
Flash Point Method:	Not Applicable
Autoignition Temperature:	None
Lower Explosive Limit:	5.0% (Methane)
Upper Explosive Limit:	15.0% (Methane)
Fire and Explosion Hazards:	Nonflammable. Cylinders may rupture violently or vent rapidly from pressure when involved in a fire situation.

Extinguishing Media:
None required. Use as appropriate for surrounding materials

Fire Fighting Instructions:
Use water spray to cool adjacent cylinders and areas. Firefighters should wear respiratory protection (SCBA) and full turnout or Bunker gear. Continue to cool fire-exposed cylinders until well after flames are extinguished.

Methane 0.0001% to 3.0% in Air

6

ACCIDENTAL RELEASE MEASURES

Evacuate all personnel from affected area. Use appropriate protective equipment. If leak is in user's equipment, be certain to purge piping with inert gas prior to attempting repairs. If leak is in container or valve, contact the appropriate emergency telephone number listed in section 1, or call your closest Norco/NorLab location.

7

HANDLING AND STORAGE

Handling Precautions:

Use only in well-ventilated areas. Valve protection caps must remain in place unless the cylinder is secured with valve outlet piped to use point. Do not drag, slide or roll cylinders. Use a suitable hand truck for cylinder movement. Use a pressure regulator when connecting cylinder to lower pressure (<3000 PSIG) piping or systems. Do not heat cylinder by any means to increase the discharge rate of product from the cylinder. Use a check valve or trap in the discharge line to prevent hazardous backflow into the cylinder.

For additional recommendations, consult Compressed Gas Association Pamphlets P-1.

Storage Requirements:

Protect cylinders from physical damage. Store in cool, dry, well-ventilated area away from heavy traffic areas and emergency exits. Do not allow the temperature where cylinders are stored to exceed 125 degrees F (52 degrees C). Cylinders should be stored upright and firmly secured to prevent falling or being knocked over. Full and empty cylinders should be segregated. Use a "first in-first out" inventory system to prevent full cylinders from being stored for excessive periods of time.

Methane 0.0001% to 3.0% in Air

8

EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:
Personal Protective
Equipment:**

Local exhaust ventilation as necessary to limit exposure below the acceptable exposure limits.

Methane cas#:(74-82-8) [0.0001-3.0%]

Oxygen cas#:(7782-44-7) [20.9%]

Nitrogen cas#:(7727-37-9) [76.1-79.0999%]

Personal protective equipment

Respiratory protection: Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested: Vitoject (KCL 890 / Aldrich Z677698, Size M)

Splash protection: Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 60 min Material tested: Camatril (KCL 730 / Aldrich Z677442, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection: impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures: General industrial hygiene practice.

Methane cas#:(74-82-8) [0.0001-3.0%]

Components with workplace control parameters

TWA 1,000 ppm USA. ACGIH Threshold Limit Values (TLV)
Central Nervous System impairment Cardiac sensitization

Oxygen cas#:(7782-44-7) [20.9%]

Nitrogen cas#:(7727-37-9) [76.1-79.0999%]

Methane 0.0001% to 3.0% in Air

9	PHYSICAL AND CHEMICAL PROPERTIES
----------	---

Appearance:	Colorless Gas	Odor:	Odorless
Physical State:	Gas	Molecular Formula:	CH4 in Air
Odor Threshold:	Not Available	Solubility:	Negligible
Specific Gravity or Density:	Not Available	Percent Volatile:	100%
Boiling Point:	Not Determined	Freezing or Melting Point:	Not Determined
Flammability:	Not Flammable	Flash Point:	Not Determined
		Upper Flammability Limit and Lower Flammability Limit:	15.0% / 5.0% (Methane)

10	STABILITY AND REACTIVITY
-----------	---------------------------------

Chemical Stability:	Stable
Conditions to Avoid:	None known
Materials to Avoid:	None
Hazardous Decomposition:	Combustion will produce carbon dioxide and, possibly toxic chemicals such as carbon monoxide.
Hazardous Polymerization:	Will not occur.

11	TOXICOLOGICAL INFORMATION
-----------	----------------------------------

Methane cas#:(74-82-8) [0.0001-3.0%]

Information on toxicological effects

Acute toxicity:

Oral LD50 no data available

Inhalation LC50

Dermal LD50

Other information on acute toxicity

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available

Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System):no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System):no data available

Aspiration hazard: no data available

Potential health effects: Inhalation May be harmful if inhaled. May cause respiratory tract irritation. Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. May cause skin irritation. Eyes May cause eye irritation.

Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available

Additional Information: RTECS: PA1490000

Methane 0.0001% to 3.0% in Air

12

ECOLOGICAL INFORMATION

Methane cas#:(74-82-8) [0.0001-3.0%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

Oxygen cas#:(7782-44-7) [20.9%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

Nitrogen cas#:(7727-37-9) [76.1-79.0999%]

Information on ecological effects

Toxicity: no data available

Persistence and degradability: no data available

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available

Other adverse effects: no data available

Methane 0.0001% to 3.0% in Air

13

DISPOSAL CONSIDERATIONS

Dispose of in accordance with local regulations. Do not attempt to dispose of waste or unused quantities in returnable cylinders. Return in the shipping container, properly labeled, with any valve outlet plugs or caps secure and valve protection cap in place to NorLab for proper disposal. Non-refillable containers should be vented in a well-ventilated area then disposed of in compliance with local regulations, or returned to NorLab.

14

TRANSPORT INFORMATION

UN1956, Compressed gas, n.o.s., 2.2

Proper Shipping Name US:

UN 1956, Compressed Gas N.O.S., (Methane, Air), 2.2

Proper Shipping Name Canada:

UN1956, Compressed Gas, N.O.S., (Methane, Air), 2.2



15

REGULATORY INFORMATION

[%] RQ (CAS#) Substance - Reg Codes

[0.0001-3.0%] Methane (74-82-8) MASS, NJHS, PA, TSCA, TXAIR

[20.9%] Oxygen (7782-44-7) MASS, PA, TSCA

[76.1-79.0999%] Nitrogen (7727-37-9) MASS, PA, TSCA

Regulatory Code Legend

MASS = MA Massachusetts Hazardous Substances List

NJHS = NJ Right-to-Know Hazardous Substances

PA = PA Right-To-Know List of Hazardous Substances



TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

Methane 0.0001% to 3.0% in Air

16	OTHER INFORMATION
----	-------------------

NFPA: Health = 0, Fire = 0, Reactivity = 0, Specific Hazard = n/a
HMIS III: Health = 0, Fire = 0, Physical Hazard = 3
HMIS PPE: B - Safety Glasses, Gloves



Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).

Revision Date: 1/12/2023