



## SKIN TEMPERATURE SCREENING SOLUTION


# FLIR EST™ KIOSK



Quickly screen passengers, customers, or employees for signs of elevated skin temperature with the FLIR EST Kiosk, a non-contact screening tool that can serve as a first line of defense against potential health risks. This turnkey solution is built around a FLIR thermal imaging camera that detects and visualizes heat, allowing screeners to safely identify individuals with an elevated skin temperature. Pre-loaded FLIR Screen-EST™ software automatically targets the inner canthus (corner of the eye) for accurate, effective skin temperature measurement. Ready to use right out of the box, the kiosk includes a tablet computer with software, integrated FLIR radiometrically calibrated thermal camera, floor stand, and positioning floor sticker.

Contagions such as COVID-19, SARS, and other diseases can produce symptoms such as elevated skin temperature – a possible sign of infection. While FLIR cameras are not capable of detecting or diagnosing viruses, they can quickly screen individuals from a safe distance and determine whether their skin temperature is elevated.

[www.flir.com/EST-Kiosk](http://www.flir.com/EST-Kiosk)



### EASY SETUP AND OPERATION

This turnkey solution is ready to use right out of the box

- Set up in minutes with preinstalled, preconfigured FLIR Screen-EST software on the included tablet
- Reduce the need for screening operators with this fully automated, self-service system
- Customize screening instructions, alert displays, and visible/thermal output

### EFFICIENT, CONSISTENT RESULTS

FLIR screening solutions are non-contact, safe, and effective

- Automatically targets the inner canthus for fast, accurate screening
- Continuously updates average baseline sampling, reducing operator burden
- Increase throughput and avoid long wait times with easy to interpret pass/pause (green/red) alerts

### ACCURATE TEMPERATURE SCREENING

Ensure correct results and avoid false alarms, regardless of environmental conditions

- Calibrated to measure temperatures from 15°C to 45°C (59°F to 113°F)
- Avoids false positives by comparing temperature readings to average baseline sampling
- Obtains accurate readings regardless of environmental conditions with ambient drift compensation

## SPECIFICATIONS

<b>Image and optical data</b>	<b>EST Kiosk Pro 24° (464 × 348)</b>
Infrared resolution	464 × 348 pixels
Detector pitch	17 μm
Focal plane array/spectral range	Uncooled microbolometer/7.5–14 μm
Thermal resolution/NETD	<40 mK @ 30°C (86°F)
Frame rate	30 Hz
<b>Optical data</b>	
Included lens	24° (17 mm)
Field of view	24° × 18°
Focus	One-shot contrast, motorized, manual
<b>Screening mode</b>	
Temperature range	15°C to 45°C (59°F to 113°F)
Screening accuracy (drift)	±0.3°C / ±0.5°F
<b>Image presentation</b>	
Digital data streaming	Simultaneous thermal and visible
Command and control	Ethernet and Wi-Fi
<b>Ethernet</b>	
Ethernet connector type and standard	M12 8-pin X-coded, Female; 1000 Mbps, IEEE 802.3
Ethernet power	Power over Ethernet, PoE IEEE 802.3af class 3
<b>Wi-Fi</b>	
Connector type and standard	Female RP-SMA; IEEE802.11a/b/g/n
Connections	Peer to peer (ad hoc) or infrastructure (network)
<b>General</b>	
Power	PoE
External power operation	24/48 V DC 8 W max
External voltage	Allowed range = 18-56 VDC
Size (L × W × H)	360 × 270 × 1300 mm (14 × 11 × 51.2 in)
Weight	8.3 kg (18 lb)
Package contents	Camera unit, Microsoft® Surface Pro 7 tablet, tablet stand, mains cables (EU, UK, US), screening position floor sticker, FLIR Screen-EST license card, printed documentation



**CORPORATE HEADQUARTERS**  
 FLIR Systems, Inc.  
 27700 SW Parkway Ave.  
 Wilsonville, OR 97070  
 USA  
 PH: +1 866.477.3687

**LATIN AMERICA**  
 FLIR Systems Brasil  
 Av. Antonio Bardella, 320  
 Sorocaba, SP 18085-852  
 Brasil  
 PH: +55 15 3238 8070

**NASHUA**  
 FLIR Systems, Inc.  
 9 Townsend West  
 Nashua, NH 03063  
 USA  
 PH: +1 866.477.3687

**CANADA**  
 FLIR Systems, Ltd.  
 3430 South Service Road, Suite 103  
 Burlington, ON L7N 3J5  
 Canada  
 PH: +1 800.613.0507

www.flir.com  
 NASDAQ: FLIR

Equipment described herein is subject to US export regulations and may require a license prior to export. Diversion contrary to US law is prohibited. Imagery for illustration purposes only. Specifications are subject to change without notice. ©2021 FLIR Systems, Inc. All rights reserved. Updated: 01/13/2021  
 20-1344-INS-AUT-EST\_KIOSK - US Letter



The World's Sixth Sense®